

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	99531	(packet datagram frame) near6 (group\$4 class\$3 division\$3 subgroup\$4 subclass\$3 subdivison\$3 subgroup\$4 sub-class\$3 sub-division\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:12
L2	17228	L1 same (identi\$8 distinguish\$3 seperat\$3 characteriz\$3 recogniz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:12
L3	4365	L2 same (first\$3 original\$2 start\$3 beginning\$3) same (second\$2 new\$2 differ\$4 follow\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:12
L4	2358	L3 same (indicat\$3 flag\$3 bit\$2 portion\$2 mark\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:12
L5	1333	717/124.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:31
L6	109	L5 and (target same host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 12:31
L7	1	"20020184373".pn.	US-PGPUB; USPAT	OR	OFF	2009/02/06 12:32
L8	1519	L4 same (order\$3 sequenc\$3 flow\$3 stream\$3 layout\$3 chunk\$3 composition\$3 placement\$3 pattern\$3 organiz\$5 succession\$3 structur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 12:55

L9	187	L8 and fragment\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 12:55
S1	6	"729191".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:30
S2	234	(swoboda near3 gary).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:30
S4	23	(swoboda near3 gary).in. and (packet datagram frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:49
S5	28	(bryan near3 thome).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:49
S7	4004	(texas near3 instruments). as. and (packet datagram frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 11:50
S8	1169	(texas near3 instruments). as. and (packet datagram frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 11:51
S9	1	(texas near3 instruments). as. and (packet datagram frame).clm. and "709".cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 11:53
S10	11147	(709/236 709/217 709/231 714/776 370/218 370/473 370/474).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 11:55

S11	21	S10 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:05
S12	84417	(packet datagram frame) near6 (group\$4 class\$3 division\$3 subgroup\$4 subclass\$3 subdivison\$3 sub- group\$4 sub-class\$3 sub- division\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:10
S13	14384	S12 same (identi\$8 distinguish\$3 seperat\$3 characteriz\$3 recogniz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:13
S14	3744	S13 same (first\$3 original\$2 start\$3 beginning\$3) same (second\$2 new\$2 differ\$4 follow\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:15
S15	2070	S14 same (indicat\$3 flag\$3 bit\$2 portion\$2 mark\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:16
S16	3	S15 same ((op adj code) (operation adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:20
S17	65	S15 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:23
S18	8	S15 and S10 and fragment \$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:24
S19	1334	S15 same (order\$3 sequenc \$3 flow\$3 stream\$3 layout \$3 chunk\$3 composition\$3 placement\$3 pattern\$3 organiz\$5 succession\$3 structur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 12:47

S20	155	S19 and fragment\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 12:48
S21	40	S20 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 12:48
S22	97600	(group\$3 subgroup\$3 subgroup\$3 cluster\$3 multip\$3 chunk\$3 class\$3 subclass\$3 sub-class\$3) near5 (pdu (protocol adj data adj unit) packet datagram frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 08:35
S23	311	S22 with ((eliminat\$3 without remov\$3 no singl\$3 one) near3 header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 08:41
S24	176	S23 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 08:41
S25	0	717/124.ccls. and (host same target same ((reconstruct\$3 rebuild\$3 simulat\$3 redo\$3) near4 (function operation)) same packet same (trace near3 stream\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:47
S26	0	717/124.ccls. and (host same target same ((reconstruct\$3 rebuild\$3 simulat\$3 redo\$3) same (function operation)) same packet same (trace near3 stream\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:47
S27	1025	717/124.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:47

S28	14	717/124.ccls. and (trace near4 stream\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:48
S29	93	S27 and (target same host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 16:36
S30	36	S29 and (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 16:48
S31	38	host same target same (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame) same trace same stream\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:49
S32	16	(host same target same (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame) same trace same stream\$3) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:00
S33	12	S32 and debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:50
S34	364	debug\$4 near3 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:01
S35	16	S34 same host same target	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:01
S36	13	S35 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:05

S37	159	S34 and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:05
S38	5	S36 and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:05
S39	3	debug\$4 same protocol same (packet frame datagram) and "717".class.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 09:38
S40	1	debug\$4 same client same server same (packet frame datagram) and "717".class.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 09:39
S41	705850	(packet pdu (protocol adj data adj unit) frame datagram data (logic adj signal\$3)) near3 (group\$3 cluster\$3 numerous\$3 many multipl\$3 collection\$3 batch\$3 combin\$5 bunch\$3 accumulat\$3 quantit\$3 array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 15:53
S42	128533	S41 same (send\$3 deploy\$4 transmit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 15:57
S43	6056	S42 same (first begin\$4 start lead\$3 initial prim\$3) near6 (mark\$3 bit identif\$3 indicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:01
S44	60	S43 same (one singl\$4 exclusiv\$3) near3 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:03

S45	43	S44 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:03
S46	6	(ghose near3 kanad).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 18:11
S47	15	"789852".ap. "5307413".pn. "5774467".pn. "5910385". pn. "6032197".pn. "6151318".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 18:13
S48	14	S47 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 18:13
S49	1748	stream\$3 and ((single one) near3 header) and ((mark\$3 bit identif\$3 indicat\$3 extension) near4 (first lead \$3 begin\$4 start\$3) near4 (packet datagram frame pdu (protocol adj data adj unit)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 15:59
S50	87	stream\$3 and ((single one) near3 header) and ((mark\$3 bit identif\$3 indicat\$3 extension) near4 (first lead \$3 begin\$4 start\$3) near4 (packet datagram frame pdu (protocol adj data adj unit)) same sub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 16:09
S51	142	(swoboda near3 gary).in. and (packet datagram frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 16:11
S52	22768	(texas near3 instruments). as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 16:11

S53	1	10/729191.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 16:12
-----	---	----------------	---	----	-----	---------------------

2/ 6/ 2009 1:34:53 PM

C:\ Documents and Settings\ mkhanna\ My Documents\ EAST\ Workspaces\ 10729191-new.wsp